

# Enwex rulebook - version 2026

30.12.2025

## for European indices

Enwex Energy Weather Indices are created to meet the optimized balance between (i) accuracy of represented weather development data and (ii) simplicity for a sufficient understanding by traders and markets.

Enwex is a registered trademark (EUIPO reg. Nr. 018892447) and operates in accordance with the IOSCO Principles for Financial Benchmarks and the EU Benchmark Regulation (BMR).

The indices are published in immutable versions pursuant to the following methodology:

### 1.) Index basics

- Generally, any Enwex Index is representing a certain predefined territory (market region or countrywide).
- A predefined territory, if possible, the largest political unit, e.g. provinces or federal states, with their fraction of supply (wind, solar) or demand (via population for temperature products) determine the weighting of the representative grid point.
- These grid points per territory are determined as the nearest one to the middle of a province. For each parameter the same grid point per province is used.
- The spatial resolution of the grid is 0,25° Lat Lon, the temporal resolution is hourly with timestamps representing the hour begin.
- This temporal resolution will persist in case of markets allowing 15-minute resolution of prices, as weather models are decisive for Enwex. So for derivatives on Enwex, e.g. market values, the power prices will be averaged for the forecasted hour and then multiplied by the utilization figure of Enwex.
- Weather parameters currently translated into Enwex Indices:
  - a) Temperature: by population weight per province.
  - b) Wind: by installed capacity per province along transparent datasets as listed in **Appendix 1**. For some countries, wind indices are available for onshore capacities and offshore separated and in total.
  - c) Solar: by installed capacity per province along sources as listed in **Appendix1**.

- Day ahead settlement data of European Enwex Indices are generally published at 10:00 AM local time (Berlin) at [www.enwex.com](http://www.enwex.com) , also for the UK ( = 09:00 AM local time London).

## 2.) Index update routine (every 1 to 5 years)

- Index weightings for renewables from time to time need a versioning due to newly built installations. In such a case, total and regional installed capacities are based on most recent available figures at 1<sup>st</sup> of September of each year with maximum time lag accepted of eight months (= end of previous calendar year). If there is no update on regional installed capacities more recent than 31<sup>st</sup> of December of previous year, the weighting for the affected country will be done along the latest available publication.
- New versions will be calculated on the back of published capacity and their spatial distribution data and published by Enwex at 1<sup>st</sup> of October in its API with the new version's ending, e.g. starting in 2026 named "...\_v26".
- For Wind and Solar the underlying weightings are updated in a 1 to 5 year routine, depending on newbuild. For Temperature there is a 5-year routine with the next update for the version of 2030 (note: for reasons of consistency, actual temperature timeseries will also be named along the latest of any updates, e.g. currently v26).
- The day ahead settlement publications will change their underlying weighting with the change of a calendar year, so in this example from 1<sup>st</sup> of January 2026. The period in Q4 can be used by market participants to review the implied differences of the new version.
- For backtesting purposes, each version has an updated backward calculation available for (a) from 1979 to present for reanalysis data and (b) from 2013 to present for EC operational day ahead data.
  - ⇒ Within backtest files, the underlying weighting per timeseries stays unchanged through the years of the entire dataset.
- For settlement data, each parameter & territory combination has one curve ID in the API which is named "settlement" and continuously contains the current actual weighted capacity. So its underlying is shifting with the day ahead settlement for 1<sup>st</sup> of January 2026 from version v25 to v26 with its new weighting.
  - ⇒ For settlement data, curve ID's stay unchanged through the years.
- Previous versions (e.g. v24, v25) will continuously be calculated until no trade concluded is referring to it anymore with a maximum of ten years backward, e.g. in year 2036 the v26 timeseries will not be updated anymore.

- Province means and their actual weightings are calculated as regional MW installed divided by total MW installed in the territory. Current values for weighting within a territory are listed in **Appendix 3**.

### 3.) Weather model specifications

- The weather model applied is the operational model of European center for medium range forecast (ECMWF; <https://www.ecmwf.int/en/about/what-we-do>; <https://www.ecmwf.int/en/publications/ifs-documentation>) in its 0.25 degree spatial resolution and the 00 UTC update.
- Model parameters used from ECMWF oper are:
  - a) Temperature: 2m temperature
  - b) Wind: windspeed in m/s out of 100m level of u-wind and v-wind
  - c) Solar: Incoming shortwave radiation at surface
- Timesteps: Hourly resolution for the forecast period day ahead in local time (e.g. for Germany in wintertime H+23 to H+47).
- Fallback routine:  
In case of ECMWF model delay, fallback solution for index calculation is with identical method and parameters but using ECMWF operational with basis 12 hours before (12 UTC). This means for e.g. Germany (wintertime) then timesteps H+35 to H+59.
- Reanalysis data in API timeseries from 1979 onwards are calculated out of ERA5 models, <https://cds.climate.copernicus.eu/datasets/reanalysis-era5-single-levels?tab=overview> , using the same weather parameters, spatial and temporal resolution as from EC oper.
- Historical data by EC oper and ERA5 for Enwex in the current and previous year's versions can be downloaded via Enwex API. For access and further information mailto [info@enwex.com](mailto:info@enwex.com)
- Handling of weather model generation switch:
  - a) EC oper: Direct implementation of new model versions after official release by ECMWF with unchanged spatial (0.25°) and temporal (hourly) resolution. Historical Data in API stays unchanged and is always reflecting the latest state of EC oper model at day ahead settlement.
  - b) ERA5: With planned new generation of ERA6, all historical timeseries will be published with the next year's version in ERA6 and ERA5 for comparability reasons. After twelve months of ERA6, the following yearly index version will just be available in the new ERA version.

## 4.) Index calculation per parameter

Weather parameters used and the formula per territory for calculation of wind and solar utilization are part of the yearly update routine. To handle potential biases driven e.g. by technological improvements on the efficiency factor or the other way round, by aging effects, there is a technology coefficient.

For biases exceeding 0,5% in backtesting of the previous period from July<sub>(year-1)</sub> until June<sub>(year)</sub> observation data (usually ENTSO-E, for Germany Netztransparenz), it will be modified by full % figure, e.g. +1,6% bias will lead to a technology coefficient of 1,02.

A review of the complete formula for each parameter and its coefficients is scheduled for the Enwex version v30, valid in 2030.

### a) Temperature:

Enwex temperature = 2m temperature in ° Celsius
---

### b) Solar:

Enwex solar = Utilization of installed solar capacity $= c * ((f * S * A) / (S_0 * A)) = c * (f * S / S_0)$
--

with:

c = technology coefficient = 1,00 (for neutralizing possible general biases)

f = factor depending on mean module efficiency and module orientation, varying per country (e.g., Germany 0,71)

S [W/m<sup>2</sup>] = shortwave radiation at surface = ECMWF operational model output for incoming radiation at surface

A [m<sup>2</sup>] = Area of installed solar modules

S<sub>0</sub> [W/m<sup>2</sup>] = Order of magnitude of the maximum possible solar radiation at the surface = 10<sup>3</sup> W/m<sup>2</sup> = 1000 W/m<sup>2</sup>

### c) Wind:

Enwex wind = Utilization of installed capacity $= c * ((U_0 + u_a) / (1,0 + \exp(v_s - s * (w - x_s) - c)) - u_a)$
---

with:

c = technology coefficient = 1,00 (for neutralizing possible general biases)

U<sub>0</sub> = Maximum utilization: Max average power output per installed capacity, usually below 1,00 due to e.g., outages, revisions

u<sub>a</sub> = Util addition: modifies slope, subtracted at end of formula to avoid influence on maximum

v<sub>s</sub> [m/s] = Start wind speed: average turbine start speed

s = Slope: Steepness of exponential function

w [m/s] = Windspeed: Calculated from the ECMWF operational model output for u- and v-wind components in 100m height  
xs = X-axis shift: Shift to avoid negative values with low wind  
c = average roughness length of landscape

Note:

windspeed values smaller than start wind speed of turbines in this formula providing negative results, therefore need to be replaced by 0.

Coefficients for renewables per country can be found in **Appendix 2**.

A general note on curtailments:

Enwex does not adjust for curtailments, since the indices are designed to represent weather-driven potential supply rather than actual realized feed-in. This methodological choice may result in a temporary positive utilization bias compared with reported figures for solar and wind production, such as those published by ENTSO-E.

## 5.) Regulatory Governance Framework

### Governance, Oversight and Methodology Control

Enwex applies a proportional governance structure suitable for a non-significant benchmark administrator.

- Benchmark Administrator: responsible for methodology approval and annual updates.
- Data Steward: validates input data and monitors data quality.
- IT Lead: oversees operational stability and fallback processes.
- Compliance Function: monitors adherence to BMR and IOSCO requirements.
- Oversight is implemented via structured annual self-assessments, with optional external review.

No discretionary judgement is applied outside predefined rules.

### Complaints and Consultation Procedures

Users may submit methodology or benchmark-related complaints to [info@enwex.com](mailto:info@enwex.com)  
All complaints are logged, evaluated and resolved according to the Enwex Complaints Procedure.

Material methodology changes follow a consultation process unless operational urgency requires immediate action. Criteria for materiality include parameter changes with >5% expected impact, sourcing changes, or fleet-model revisions.

## **Cessation and Transition Policy Overview**

Enwex maintains yearly benchmark versions for up to 10 years or until no open contracts reference them.

Users will be notified at least six months prior to cessation. Transition guidance and alternative benchmark series are provided in the Benchmark Statement.

## **Appendix 1: Data sources on installed capacities**

### **Austria:**

- Wind: <http://www.thewindpower.net> (global dataset, update from 17.8.25)
- Solar: <https://pvaustria.at/bundeslaender/> (data including 2024)

### **Belgium:**

- Wind: <http://www.thewindpower.net> (global dataset, update from 17.8.25)
- Solar: <https://www.elia.be/en/grid-data/generation-data/solar-pv-power-generation-data> (grid operator; data as visualized on 01.09.2025)

### **Denmark:**

- Wind: <http://www.thewindpower.net> (global dataset, update from 17.8.25)
- Solar: <https://ens.dk/en/energy-sources> (grid operator; data as visualized on 01.09.2025)

### **France:**

- Wind: <http://www.thewindpower.net> (global dataset, update from 17.8.25)
- Solar: <https://odre.opendatasoft.com/explore/dataset/parc-regional-annuel-production-solaire> (Open Data Réseaux Energies, data including 2024)

### **Germany:**

- <https://www.bundesnetzagentur.de/DE/Fachthemen/ElektrizitaetundGas/ErneuerbareEnergien/EE-Statistik/start.html> (wind & solar, update from 18.8.25)

### **Italy:**

- Wind: <http://www.thewindpower.net> (global dataset, update from 17.8.25)
- Solar: <https://www.statista.com/statistics/888529/installed-capacity-of-solar-power-plants-by-region-in-italy/>  
(Statista, installed 2023, no regional 2024 data available yet)

### **Netherlands:**

- Wind: <http://www.thewindpower.net> (global dataset, update from 17.8.25)
- Solar: <https://opendata.cbs.nl/statline#/CBS/nl/dataset/85005NED/table?ts=1668421767653> (Centraal Bureau voor de Statistiek, installed capacities by end 2024)

### **Poland:**

- Wind: <http://www.thewindpower.net> (global dataset, update from 17.8.25)
- Solar: <https://ieo.pl/aktualnosci/1677-ponad-40-procentowy-przyrost-nowych-mocy-zainstalowanych-w-fotowoltaice%20;%20Kapazit%C3%A4t%20gro%C3%9Fer%20Anlagen>

### **Spain:**

- Wind: <http://www.thewindpower.net> (global dataset, update from 17.8.25)
- Solar: <https://www.sistemaelectrico-ree.es/en/renewable-energies-report/sun/installed-capacity/photovoltaic-solar-sunpower> (Red electrica, based on January 2024)

### United Kingdom:

- Wind: <http://www.thewindpower.net> (global dataset, update from 17.8.25)
- Solar: <https://www.gov.uk/government/statistics/regional-renewable-statistics>  
(Installed by end 2023, update on end 2024 not available yet)

## **Appendix 2: v26 coefficients for renewable utilization**

### **Solar**

#### Austria:

$$\text{Solar(AUT)} = 1,00 * (0,68 * \text{shortwave radiation} / 1000)$$

#### Belgium:

$$\text{Solar(BEL)} = 1,00 * (0,70 * \text{shortwave radiation} / 1000)$$

#### Denmark:

$$\text{Solar(DNK)} = 1,00 * (0,72 * \text{shortwave radiation} / 1000)$$

#### France:

$$\text{Solar(FRA)} = 1,00 * (0,84 * \text{shortwave radiation} / 1000)$$

#### Germany:

$$\text{Solar(GER)} = 1,00 * (0,63 * \text{shortwave radiation} / 1000)$$

#### Italy:

$$\text{Solar(ITA)} = 1,00 * (0,67 * \text{shortwave radiation} / 1000)$$

#### Netherlands:

$$\text{Solar(NLD)} = 1,00 * (0,84 * \text{shortwave radiation} / 1000)$$

#### Poland:

$$\text{Solar(POL)} = 1,00 * (0,73 * \text{shortwave radiation} / 1000)$$

#### Spain:

$$\text{Solar(ESP)} = 1,00 * (1,02 * \text{shortwave radiation} / 1000)$$

#### United Kingdom:

$$\text{Solar(GBR)} = 1,00 * (0,77 * \text{shortwave radiation} / 1000)$$

## Wind onshore

### Austria:

$$\text{Wind(AUT)} = 1,00 * ((0,93 + 0,05) / (1,0 + \exp(3,0 - 0,61 * (\text{wind} - 2,6) - 0,0074))) - 0,05)$$

### Belgium:

$$\text{Wind(BEL)} = 1,14 * ((0,76 + 0,05) / (1,0 + \exp(3,1 - 0,50 * (\text{wind} - 2,6) - 0,0074))) - 0,05)$$

### Denmark:

$$\text{Wind(DNK)} = 1,00 * ((0,87 + 0,06) / (1,0 + \exp(3,2 - 0,52 * (\text{wind} - 3,0) - 0,0074))) - 0,06)$$

### France:

$$\text{Wind(FRA)} = 1,04 * ((0,9 + 0,05) / (1,0 + \exp(3,0 - 0,52 * (\text{wind} - 2,5) - 0,0074))) - 0,05)$$

### Germany:

$$\text{Wind(GER)} = 1,00 * ((0,92 + 0,05) / (1,0 + \exp(3,2 - 0,529 * (\text{wind} - 2,5) - 0,0074))) - 0,05)$$

### Italy:

$$\text{Wind(ITA)} = 1,05 * (0,85 + 0,00) / (1,0 + \exp(2,9 - 0,64 * (\text{wind} - 2,5) - 0,0074))) - 0,00)$$

### Netherlands:

$$\text{Wind(NLD)} = 1,00 * ((0,91 + 0,04) / (1,0 + \exp(3,3 - 0,53 * (\text{wind} - 2,5) - 0,0074))) - 0,04)$$

### Poland:

$$\text{Wind(POL)} = 1,00 * ((0,92 + 0,05) / (1,0 + \exp(3,4 - 0,60 * (\text{wind} - 2,2) - 0,0074))) - 0,05)$$

### Spain:

$$\text{Wind(ESP)} = 1,00 * ((0,86 + 0,04) / (1,0 + \exp(3,1 - 0,58 * (\text{wind} - 2,3) - 0,0074))) - 0,04)$$

### United Kingdom:

$$\text{Wind(GBR)} = 1,00 * ((0,68 + 0,06) / (1,0 + \exp(3,3 - 0,53 * (\text{wind} - 2,1) - 0,0074))) - 0,06)$$

## Wind offshore

### Denmark:

$$\text{Wind(DNK)} = 1,00 * ((0,92 + 0,06) / (1,0 + \exp(3,1 - 0,49 * (\text{wind} - 3,0) - 0,001))) - 0,06)$$

### Germany:

$$\text{Wind(GER)} = 1,00 * ((0,86 + 0,06) / (1,0 + \exp(3,2 - 0,48 * (\text{wind} - 3,0) - 0,001))) - 0,06)$$

### Netherlands:

$$\text{Wind(NLD)} = 1,00 * ((0,81 + 0,06) / (1,0 + \exp(3,5 - 0,54 * (\text{wind} - 3,0) - 0,001))) - 0,06)$$

### United Kingdom:

$$\text{Wind(GBR)} = 1,00 * ((0,82 + 0,06) / (1,0 + \exp(3,0 - 0,48 * (\text{wind} - 2,6) - 0,001))) - 0,06)$$

## Wind combined (Ratio Onshore vs. Offshore):

Denmark: 63,1% on, 36,9% off

Germany: 87,6% on, 12,4% off

Netherlands: 54,6% on, 45,4% off

United Kingdom: 53,2% on, 46,8% off

## Appendix 3: Countrywide means and their actual weightings (v26)

### Austria

Province	Latitude	Longitude	temperature	wind	solar
Burgenland	47,75	16,50	3,3	38,3	12,2
Kärnten	46,75	13,75	6,2	0,7	6,2
Niederösterreich	48,25	15,75	18,8	52,4	23,6
Oberösterreich	48,25	14,00	16,7	1,2	20,9
Salzburg	47,25	13,00	6,2	0,0	5,6
Steiermark	47,25	15,25	13,8	7,2	18,3
Tirol	47,25	11,50	8,5	0,0	6,4
Vorarlberg	47,25	10,00	4,5	0,0	3,2
Wien	48,25	16,25	22,0	0,2	3,6

### Belgium

Province	Latitude	Longitude	Version 2026 (v26)			Version 2025 (v25)	
			temperature	wind	solar	wind	solar
Antwerp	51,25	4,50	16,3	14,1	16,7	15,1	17,3
Brussels	50,75	4,25	10,7	0,0	2,8	0,0	3,1
East Flanders	51,00	3,75	13,3	18,2	16,7	18,5	17,3
Flemish Brabant	51,00	4,50	10,1	1,9	9,6	2,0	9,8
Hainaut	50,50	4,00	11,7	17,6	8,8	18,0	7,6
Limburg	50,75	5,50	7,6	11,6	12,9	10,5	13,5
Liège	50,50	5,50	9,6	11,0	6,9	10,5	7,1
Luxembourg	50,00	5,75	2,5	3,2	3,0	2,9	2,2
Namur	50,50	5,00	4,3	9,9	3,9	10,7	3,6
Walloon Brabant	50,75	4,75	3,5	3,5	3,0	3,5	2,5
West Flanders	51,00	3,00	10,4	9,0	15,7	8,3	16,0

### Denmark

Province	Latitude	Longitude	temperature	wind	solar
Nordjylland	57,25	9,75	9,9	23,9	12,8
Midtjylland	56,25	9,25	22,9	37,6	25,6
Syddanmark	55,50	9,00	20,7	22,1	25,6
Sjaelland	55,50	11,75	14,3	15,1	24,0
Hovedstaden	56,00	12,25	32,2	1,3	12,0

## France

Province	Latitude	Longitude	Version 2026 (v26)			Version 2025 (v25)	
			temperature	wind	solar	wind	solar
Auvergne-Rhône-Alps	45,50	4,50	12,6	3,0	12,2	3,2	11,7
Burgundy-Free-County	47,00	4,50	2,5	5,0	5,0	5,0	4,2
Brittany	48,00	-3,00	5,3	6,2	3,3	6,0	2,7
Central - Vale of the Loire	47,50	1,75	4,0	7,8	5,4	7,8	5,1
Corsica	42,00	9,00	0,5	0,1	1,0	0,1	1,2
Greater East	48,75	5,75	8,7	22,3	7,8	23,0	7,7
Heights-of-France	50,00	2,75	9,4	27,4	3,2	27,3	2,9
Isle-of-France	48,50	2,50	19,1	0,5	1,7	0,5	1,7
Normandy	49,00	0,25	5,2	4,7	1,8	4,8	1,7
New Aquitaine	44,75	-0,50	9,4	9,0	23,1	8,2	23,6
Occitania	43,75	1,00	9,3	7,5	18,2	7,6	19,1
Lands of the Loire	47,50	-0,75	6,0	6,1	6,7	6,1	6,4
Provence - Alps - Azure Coast	44,00	6,00	8,0	0,4	10,6	0,4	12,0

## Germany

Province	Latitude	Longitude	Version 2026 (v26)			Version 2025 (v25)	
			temperature	wind	solar	wind	solar
Baden-Württemberg	48,50	9,00	13,4	3,0	12,6	2,9	12,6
Bavaria	49,00	11,50	15,9	4,2	26,7	4,3	26,9
Brandenburg & Berlin	52,50	13,50	7,5	14,1	8,2	14,2	8,0
Hesse	50,50	9,00	7,6	4,1	4,7	4,2	4,6
Lower Saxony & Bremen	52,50	9,00	10,5	20,7	9,1	20,7	8,9
Mecklenburg-Vorpommern	53,75	12,50	1,9	5,9	4,2	6,1	4,3
North Rhine-Westphalia	51,50	7,50	21,5	12,8	12,2	12,1	12,1
Rhineland-Palatine & Saarland	50,00	7,25	6,1	7,3	6,0	7,4	6,3
Saxony	51,00	13,50	4,8	2,1	4,8	2,2	4,7
Saxona-Anhalt	52,00	11,75	2,6	8,6	4,7	8,7	4,8
Schleswig-Holstein & Hamburg	54,25	9,75	5,7	14,3	4,0	14,3	3,9
Thuringia	51,00	11,00	2,5	2,9	2,8	2,9	2,9

## Italy

Province	Latitude	Longitude	Version 2026 (v26)			Version 2025 (v25)	
			temperature	wind	solar	wind	solar
Abruzzo	42,25	13,50	2,2	2,5	3,2	2,5	3,3
Basilicata	40,50	15,75	0,9	9,7	1,7	9,7	1,7
Calabria	39,00	16,50	3,1	10,9	2,4	10,9	2,4
Campania	40,75	14,75	9,6	13,3	4,1	13,3	4,1
Emilia Romagna	44,50	11,25	7,6	0,3	10,0	0,3	10,1
Friuli	46,00	13,25	2,0	0,0	2,9	0,0	2,8
Lazio	42,00	12,50	9,8	0,9	6,7	0,9	6,8
Liguria	44,50	9,00	2,6	0,9	0,6	0,9	0,6
Lombardia	45,50	9,25	17,1	0,0	13,3	0,0	13,4
Marche	43,50	13,50	2,5	0,1	4,5	0,1	4,5
Molise	41,50	14,75	0,5	3,7	0,7	3,7	0,7
Piemonte	45,00	7,75	7,3	0,1	8,5	0,1	8,3
Puglia	41,00	16,25	6,7	20,3	10,9	20,3	11,1
Sardegna	40,00	9,00	2,7	10,0	4,5	10,0	4,5
Sicilia	37,50	14,00	8,2	25,8	7,2	25,8	6,8
Toscana	43,75	11,25	6,3	1,1	4,1	1,1	4,1
Trentino	46,00	11,00	0,9	0,0	2,3	0,0	2,2
Umbria	43,00	12,50	1,5	0,3	2,1	0,3	2,1
Valle d'Aosta	45,75	7,25	0,2	0,0	0,1	0,0	0,1
Veneto	45,50	11,75	8,3	0,1	10,2	0,1	10,4

## Netherlands

Province	Latitude	Longitude	Version 2026 (v26)			Version 2025 (v25)	
			temperature	wind	solar	wind	solar
Drenthe	53,00	6,50	2,8	4,1	6,6	4,2	6,7
Flevoland	52,50	5,50	2,5	26,9	4,6	24,5	4,8
Friesland	53,25	5,75	3,7	3,9	5,1	4,1	5,1
Gelderland	52,00	6,00	12,0	3,9	13,5	4,0	12,8
Groningen	53,25	6,75	3,3	16,4	6,7	16,0	6,7
Limburg	51,25	6,00	6,3	2,1	7,7	2,2	7,7
North Brabant	51,50	5,25	14,7	6,9	16,9	7,2	17,3
North Holland	52,75	5,00	16,6	11,5	9,3	12,0	9,5
Overijssel	52,50	6,50	6,6	1,8	8,1	1,9	8,0
South Holland	52,00	4,50	21,5	12,4	12,0	13,0	12,2
Utrecht	52,00	5,25	7,8	0,5	5,5	0,6	5,5
Zeeland	51,50	3,75	2,2	9,6	4,0	10,3	3,7

## Poland

Province	Latitude	Longitude	temperature	wind	solar
Dolnoslaskie	51,00	16,50	7,6	4,2	5,8
Kujawsko-pomorskie	53,00	18,50	5,4	6,3	6,4
Lodzkie	51,50	19,50	6,4	4,9	4,7
Lubelskie	51,25	23,00	5,5	1,0	6,6
Lubuskie	52,25	15,25	2,6	5,5	9,4
Malopolskie	49,75	20,25	8,9	0,0	2,0
Mazowieckie	52,25	21,00	14,1	6,0	5,7
Opolskie	50,75	18,00	2,6	3,4	2,4
Podkarpackie	50,00	22,25	5,5	1,7	2,9
Podlaskie	53,25	23,00	3,1	3,0	5,8
Pomorskie	54,25	18,00	6,1	18,5	8,1
Slaskie	50,25	19,00	11,8	2,4	2,3
Swietokrzysk	50,75	20,75	3,2	0,8	3,2
Warminsko-mazurskie	53,75	20,75	3,7	4,6	10,0
Wielkopolskie	52,25	17,25	9,1	13,5	16,4
Zachodniopomorskie	53,50	15,50	4,4	24,2	8,3

## Spain

Province	Latitude	Longitude	Version 2026 (v26)			Version 2025 (v25)	
			temperature	wind	solar	wind	solar
Andalusia	37,50	-4,50	19,4	11,8	24,8	12,1	21,5
Aragon	41,50	-0,75	3,0	16,5	8,8	15,9	9,6
Asturias	43,25	-6,00	2,3	2,3	0,0	2,4	0,0
Basque country	43,00	-2,50	5,0	0,5	0,2	0,5	0,2
Cantabria	43,25	-4,00	1,3	0,1	0,0	0,1	0,0
Castilla - La Mancha	39,50	-3,00	4,7	16,3	22,7	16,7	24,6
Castile and León	41,75	-4,75	5,4	22,6	9,0	22,6	7,6
Catalonia	41,75	1,50	17,8	4,6	1,2	4,5	1,2
Extremadura	39,25	-6,25	2,4	0,3	24,7	0,3	25,7
Galicia	42,75	-8,00	6,1	13,1	0,1	13,2	0,1
La Rioja	42,25	-2,50	0,7	1,5	0,3	1,5	0,4
Madrid	40,50	-3,75	15,3	0,0	0,2	0,0	0,3
Region of Murcia	38,00	-1,50	3,5	0,9	5,6	0,9	6,3
Navarre	42,75	-1,50	1,5	5,1	0,8	4,8	0,7
Valencian Community	39,50	-0,50	11,6	4,4	1,6	4,5	1,8

## United Kingdom

Province	Latitude	Longitude	Version 2026 (v26)			Version 2025 (v25)	
			temperature	wind	solar	wind	solar
East Midlands	53,00	-0,75	7,1	2,9	11,4	2,6	11,2
East of England	52,50	0,75	9,2	3,1	15,3	2,7	15,8
London	51,50	0,00	13,7	0,1	1,8	0,1	1,7
NorthEast	55,00	-2,00	4,0	3,1	1,8	2,8	1,9
NorthWest	54,00	-2,75	11,0	3,2	4,7	3,0	4,8
SouthEast	51,25	-1,00	13,5	0,8	15,6	0,7	16,4
SouthWest	50,75	-3,50	8,3	2,2	22,7	1,8	24,1
West Midlands	52,50	-2,25	8,8	0,1	7,4	0,1	7,0
Yorkshire	53,50	-1,25	8,2	4,6	4,7	4,4	4,8
N Ireland	54,75	-7,00	2,9	9,4	2,2		
N Scotland*	58,50	-3,50	0,0	22,7	0,0	25,7	0,0
Scotland	56,00	-4,00	8,4	39,4	3,8	48,5	3,5
Wales	51,75	-3,50	4,9	8,4	8,6	7,6	8,8

## Offshore Wind

### Denmark

Region	Latitude	Longitude	offshore
W	55,50	7,75	35,6
SE	54,5	11,5	16,2
E	55,25	12,75	28,4
NE	56	11	19,8

### Germany

Region	Latitude	Longitude	offshore
Borkum1	54,00	6,50	29,0
Borkum2	54,50	6,00	23,2
North1	54,50	7,75	17,6
North2	55,00	7,00	9,8
BalticSea	55,00	13,75	20,4

### Netherlands

Region	Latitude	Longitude	offshore
offshore N	54,00	6,00	11,1
offshore IJssel	53,00	5,25	12,2
offshore W	52,50	4,00	48,9
offshore SW	51,75	3,00	27,8

### United Kingdom

Region	Latitude	Longitude	offshore
offshore NE	57	-1,75	21,1
offshore E	53,75	1,25	37,3
offshore SE	51,75	1,75	19,0
offshore S	50,5	-0,25	3,5
offshore NW	54,00	-3,75	19,1